
Media column_W8 M

for 55" to 65" displays
with up to 60 kg weight

VC camera position:
above display (height variable from 180 cm upward)
or below display (height about 85 cm)



wall mounted | **mobile with base plate**


Type / Design	One door – with textile cover for external speakers in black. Housing and door made of MDF, finished with structure lacquer. Passive housing ventilation for individual technology integration. Prepared for the integration of a video conference system. Display mount not included.	
Dimensions (W x D x H)		
Furniture, outside (base plate)	800 x 220 x 1750 mm	800 (1050) x 220 (550) x 1750 (100) mm
Technology housing (*fittings not included)	650 x 180* x 800 mm	650 x 180* x 720 mm
Speaker housing	620 x 180 x 165 mm	620 x 180 x 165 mm
Requirements for display integration		
- max. display width	1600 mm	1600 mm
- max. display weight	60 kg	60 kg
- recom. display depth (incl. mount)	80 - 100 mm	80 - 100 mm
- space for display mount (W x H)	700 x 660 mm	700 x 660 mm
- recess for display and mount	80 mm	80 mm
- height of the display's lower edge	1050 mm	1050 mm
Color / Item number**		
arctic white	**10010**	**10012**
lava black	**10011**	**10013**
Base price for 1 unit	**3.370 Euro**	**4.430 Euro**
excluding transportation		
(order of 3 or more = scaled conditions!)	on request	on request
Shipping	**on request**	

Options	Surface / Color	Item number	Sales price
VC camera mount			
- for position above display, space 240 x 165 mm (W x D)	metal, powder coated, black	10033	230 Euro
- for position in front and with adapted speaker fabric panel space 250 x 200 mm (W x D)	metal, powder coated, black	10034	230 Euro
Customized bezel for VC systems up to a width of 620 mm for example for Cisco Webex Room Kit Mini / Poly X30/R30 / etc. incl. mounting device This bezel replaces the speaker covers of the main product.	structure lacquer arctic white	10571	470 Euro
	structure lacquer lava black	10704	470 Euro
Door lock (per door/piece)	nickel-plated, matt	10035	180 Euro
Shelf for technology housing	structured lacquer arctic white	10028	58 Euro
	structured lacquer lava black	10664	58 Euro
Cable roll holder on the back side of the mobile version	structured lacquer arctic white	10036	168 Euro
	structured lacquer lava black	10665	168 Euro

** Structure lacquer colors can be customized on request against surcharge.
Prices = net sales prices, excluding VAT (in Euro)

Media column_W8 L

for 70" to 80" displays
with up to 80 kg weight



wall mounted **mobile with base plate**

VC camera position:
above display (height variable from 210 cm upward)
or below display (height about 102 cm)


Type / Design	Two doors – with textile cover for external speakers in black. Housing and door made of MDF, finished with structure lacquer. Passive housing ventilation for individual technology integration. Prepared for the integration of a video conference system. Display mount not included.	
Dimensions (W x D x H)		
Furniture, outside (base plate)	1140 x 250 x 1960 mm	1140 (1540) x 250 (650) x 1960 (130) mm
Technology housing (*fittings not included)	2 x 480 x 210* x 950 mm	2 x 480 x 210* x 840 mm
Speaker housing	960 x 210 x 165 mm	960 x 210 x 165 mm
Requirements for display integration		
- max. display width	1900 mm	1900 mm
- max. display weight	80 kg	80 kg
- recom. display depth (incl. mount)	110 - 130 mm	110 - 130 mm
- space for display mount (W x H)	1040 x 725 mm	1040 x 725 mm
- recess for display and mount	110 mm	110 mm
- height of the display's lower edge	1200 mm	1200 mm
Color / Item number**		
arctic white	**10014**	**10016**
lava black	**10015**	**10017**
Base price for 1 unit	**4.400 Euro**	**5.945 Euro**
excluding transportation		
(order of 3 or more = scaled conditions!)	on request	on request
Shipping	**on request**	

Options	Surface / Color	Item number	Sales price
VC camera housing below display* **			
with centrally divided speaker cover, dimensions 340 x 210 x 180 mm (W x D x H)	metal, powder coated, black	10667 ***12048	470 Euro
*** = wide version (540 x 210 x 180 mm), for dual cameras	metal, powder coated, black	10671 ***12049	470 Euro
VC camera mount	metal, powder coated, black	10033	230 Euro
- for position above display, space 240 x 165 mm (W x D)			
Customized bezel for VC systems up to a width of 960 mm	structure lacquer arctic white	10705	470 Euro
for example for Cisco Webex Room Kit (Plus) / PanaCast 50 / Polycom Studio / etc.	structure lacquer lava black	10706	470 Euro
incl. mounting device			
This bezel replaces the speaker covers of the main product.			
Door lock (per door/piece)	nickel-plated, matt	10035	180 Euro
Shelf for technology housing	structured lacquer arctic white	10029	58 Euro
	structured lacquer lava black	10666	58 Euro
Cable roll holder	structured lacquer arctic white	10036	168 Euro
on the back side of the mobile version	structured lacquer lava black	10665	168 Euro

** Structure lacquer colors can be customized on request against surcharge.
Prices = net sales prices, excluding VAT (in Euro)

Media column_W8 XL

for 84" to 98" displays (16:9)
with up to 100 kg weight



wall mounted

VC camera position:
below display (height about 102 cm)


Type / Design	Two doors – with textile cover for external speakers in black. Housing and door made of MDF, finished with structure lacquer. Passive housing ventilation for individual technology integration. Prepared for the integration of a video conference system. Display mount not included.
Dimensions (W x D x H)	
Furniture, outside (base plate)	1300 x 310 x 2070 mm
Technology housing (*fittings not included)	2 x 560 x 270* x 950 mm
Speaker housing	1120 x 270 x 165 mm
Requirements for display integration	
- max. display width	2280 mm
- max. display weight	100 kg
- recom. display depth (incl. mount)	130 - 150 mm
- space for display mount (W x H)	1200 x 835 mm
- recess for display and mount	130 mm
- height of the display's lower edge	1200 mm
Color / Item number**	
arctic white	**10018**
lava black	**10019**
Base price for 1 unit	**5.210 Euro**
excluding transportation	
(order of 3 or more = scaled conditions!)	on request
Shipping	**on request**

Options	Surface / Color	Item number			Sales price
VC camera housing below display*/* **	structure lacquer arctic white	10668	*10692	***11441	470 Euro
with centrally divided speaker cover, dimensions 340 x 270 x 180 mm (W x D x H)	structure lacquer lava black	10669	*10647	***11442	470 Euro
* = narrow version (180 x 270 x 180 mm), for example for Rally Plus					
*** = wide version (540 x 270 x 180 mm), for dual cameras					
Customized bezel for VC systems up to a width of 1120 mm	structure lacquer arctic white	10707			470 Euro
for example for Cisco Webex Room Kit (Plus) / Crestron Flex / Polycom Studio / etc. incl. mounting device	structure lacquer lava black	10708			470 Euro
This bezel replaces the speaker covers of the main product.					
Door lock (per door/piece)	nickel-plated, matt	10035			180 Euro
Shelf for technology housing	structure lacquer arctic white	10030			58 Euro
	structure lacquer lava black	10670			58 Euro

** Structure lacquer colors can be customized on request against surcharge.
Prices = net sales prices, excluding VAT (in Euro)

Media column_W8 XL

for 84" to 98" displays (16:9)
with up to 100 kg weight



mobile with base plate

VC camera position:
below display (height about 102 cm)


Type / Design	Two doors – with textile cover for external speakers in black. Housing and door made of MDF, finished with structure lacquer. Passive housing ventilation for individual technology integration. Prepared for the integration of a video conference system. Display mount not included.
Dimensions (W x D x H)	
Furniture, outside (base plate)	1300 (1800) x 310 (700) x 2070 (150) mm
Technology housing (*fittings not included)	2 x 560 x 270* x 820 mm
Speaker housing	1120 x 270 x 165 mm
Requirements for display integration	
- max. display width	2280 mm
- max. display weight	100 kg
- recom. display depth (incl. mount)	130 - 150 mm
- space for display mount (W x H)	1200 x 835 mm
- recess for display and mount	130 mm
- height of the display's lower edge	1200 mm
Color / Item number**	
arctic white	**10020**
lava black	**10021**
Base price for 1 unit	**7.310 Euro**
excluding transportation	
(order of 3 or more = scaled conditions!)	on request
Shipping	**on request**

Options	Surface / Color	Item number			Sales price
VC camera housing below display*/* **	structure lacquer arctic white	10668	*10692	***11441	470 Euro
with centrally divided speaker cover, dimensions 340 x 270 x 180 mm (W x D x H)	structure lacquer lava black	10669	*10647	***11442	470 Euro
* = narrow version (180 x 270 x 180 mm), for example for Rally Plus					
*** = wide version (540 x 270 x 180 mm), for dual cameras					
Customized bezel for VC systems up to a width of 1120 mm	structure lacquer arctic white	10707			470 Euro
for example for Cisco Webex Room Kit (Plus) / Crestron Flex / Polycom Studio / etc. incl. mounting device	structure lacquer lava black	10708			470 Euro
This bezel replaces the speaker covers of the main product.					
Door lock (per door/piece)	nickel-plated, matt	10035			180 Euro
Shelf for technology housing	structure lacquer arctic white	10030			58 Euro
	structure lacquer lava black	10670			58 Euro
Cable roll holder	structure lacquer arctic white	10036			168 Euro
on the back side	structure lacquer lava black	10665			168 Euro

** Structure lacquer colors can be customized on request against surcharge. Holzmedia GmbH
Prices = net sales prices, excluding VAT (in Euro)

Media column_W8 XXL

for 100" to 110" displays and LED panels
also in 21:9 format
with each up to 120 kg weight



VC camera position:
below display (height about 102 cm)

wall mounted


Type / Design	Three doors – with textile cover for external speakers in black. Housing and door made of MDF, finished with structure lacquer. Passive housing ventilation for individual technology integration. Prepared for the integration of a video conference system. Display mount not included.
Dimensions (W x D x H)	
Furniture, outside (base plate)	1680 x 310 x 2210 mm
Technology housing (*fittings not included)	2 x 460 x 270* x 950 mm 1 x 520 x 270* x 950 mm
Speaker housing	2 x 430 x 270 x 165 mm
Requirements for display integration	
- max. display width	2550 mm
- max. display weight	120 kg
- recom. display depth (incl. mount)	130 - 150 mm
- space for display mount (W x H)	1580 x 975 mm
- recess for display and mount	130 mm
- height of the display's lower edge	1200 mm
Color / Item number**	
arctic white	**11526**
lava black	**11527**
Base price for 1 unit	**8.265 Euro**
excluding transportation (order of 3 or more = scaled conditions!)	on request
Shipping	**on request**

Options	Surface / Color	Item number	Sales price
VC camera housing below display*** with centrally divided speaker cover, dimensions 340 x 270 x 180 mm (W x D x H) *** = wide version (540 x 270 x 180 mm), for dual cameras	structure lacquer arctic white structure lacquer lava black	11530 ***11943 11531 ***11944	470 Euro 470 Euro
Customized bezel for VC systems for example for Cisco Webex Room Kit (Plus) / Crestron Flex / Polycom Studio / etc. incl. mounting device This bezel replaces the speaker covers of the main product.	structure lacquer arctic white structure lacquer lava black	11532 11533	470 Euro 470 Euro
Door lock (per door/piece)	nickel-plated, matt	10035	180 Euro
Shelf for technology housing	structure lacquer arctic white structure lacquer lava black	each L/R:11534, M:11535 each L/R:11536, M:11537	58 Euro 58 Euro
Individual adjustment/enlargement of the display installation board for LED panels	structure lacquer lava black	12033	790 Euro

** Structure lacquer colors can be customized on request against surcharge.
Prices = net sales prices, excluding VAT (in Euro)

Media column_W8 XXL

for 100" to 110" displays and LED panels
also in 21:9 format
with each up to 120 kg weight



VC camera position:
below display (height about 102 cm)

mobile with base plate


Type / Design	Three doors – with textile cover for external speakers in black. Housing and door made of MDF, finished with structure lacquer. Passive housing ventilation for individual technology integration. Prepared for the integration of a video conference system. Display mount not included.
Dimensions (W x D x H)	
Furniture, outside (base plate)	1680 (2150) x 310 (750) x 2210 (150) mm
Technology housing (*fittings not included)	2 x 460 x 270* x 820 mm 1 x 520 x 270* x 820 mm
Speaker housing	2 x 430 x 270 x 165 mm
Requirements for display integration	
- max. display width	2550 mm
- max. display weight	120 kg
- recom. display depth (incl. mount)	130 - 150 mm
- space for display mount (W x H)	1580 x 975 mm
- recess for display and mount	130 mm
- height of the display's lower edge	1200 mm
Color / Item number**	
arctic white	**11528**
lava black	**11529**
Base price for 1 unit	**11.425 Euro**
excluding transportation	
(order of 3 or more = scaled conditions!)	on request
Shipping	**on request**

Options	Surface / Color	Item number		Sales price
VC camera housing below display*** with centrally divided speaker cover, dimensions 340 x 270 x 180 mm (W x D x H) *** = wide version (540 x 270 x 180 mm), for dual cameras	structure lacquer arctic white structure lacquer lava black	11530 11531	***11943 ***11944	470 Euro 470 Euro
Customized bezel for VC systems for example for Cisco Webex Room Kit (Plus) / Crestron Flex / Polycom Studio / etc. incl. mounting device This bezel replaces the speaker covers of the main product.	structure lacquer arctic white structure lacquer lava black	11532 11533		470 Euro 470 Euro
Door lock (per door/piece)	nickel-plated, matt	10035		180 Euro
Shelf for technology housing	structure lacquer arctic white structure lacquer lava black	each L/R:11534, M:11535 each L/R:11536, M:11537		58 Euro 58 Euro
Individual adjustment/enlargement of the display installation board for LED panels	structure lacquer lava black	12033		790 Euro
Cable roll holder on the back side	structure lacquer arctic white structure lacquer lava black	10036 10665		168 Euro 168 Euro

** Structure lacquer colors can be customized on request against surcharge.
Prices = net sales prices, excluding VAT (in Euro)

Media column_W8 M²

for 55" to 65" displays
with each up to 60 kg weight



VC camera position:
above display (height variable from 195 cm upward)
or below display (height about 102 cm)

wall mounted


Type / Design	Two doors – with textile cover for external speakers in black. Housing and door made of MDF, finished with structure lacquer. Passive housing ventilation for individual technology integration. Prepared for the integration of a video conference system. Display mount not included.
Dimensions (W x D x H)	
Furniture, outside (base plate)	1300 x 280 x 1900 mm
Technology housing (*fittings not included)	2 x 560 x 240* x 950 mm
Speaker housing	1120 x 240 x 165 mm
Requirements for display integration	
- max. display width	1600 mm
- max. display weight	60 kg
- recom. display depth (incl. mount)	80 - 100 mm
- space for display mount (W x H)	2200 x 660 mm
- recess for display and mount	80 mm
- height of the display's lower edge	1200 mm
Color / Item number**	
arctic white	**10022**
lava black	**10023**
Base price for 1 unit	**5.555 Euro**
excluding transportation	
(order of 3 or more = scaled conditions!)	on request
Shipping	**on request**

Options	Surface / Color	Item number	Sales price
VC camera housing below display*/* **	structure lacquer arctic white	10672 *10678 ***11443	470 Euro
with centrally divided speaker cover, dimensions 340 x 240 x 180 mm (W x D x H)	structure lacquer lava black	10673 *10720 ***11444	470 Euro
* = narrow version (180 x 240 x 180 mm), for example for Rally Plus			
*** = wide version (540 x 240 x 180 mm), for dual cameras			
VC camera mount	metal, powder coated, black	10033	230 Euro
for position in front of speaker cover, space 240 x 165 mm (W x D)			
Customized bezel for VC systems up to a width of 1120 mm	structure lacquer arctic white	10709	470 Euro
for example for Cisco Webex Room Kit (Plus) / Crestron Flex / Polycom Studio / etc. incl. mounting device	structure lacquer lava black	10710	470 Euro
This bezel replaces the speaker covers of the main product.			
Door lock (per door/piece)	nickel-plated, matt	10035	180 Euro
Shelf for technology housing	structure lacquer arctic white	10031	58 Euro
	structure lacquer lava black	10674	58 Euro

** Structure lacquer colors can be customized on request against surcharge.
Prices = net sales prices, excluding VAT (in Euro)

Media column_W8 M²

for 55" to 65" displays
with each up to 60 kg weight



VC camera position:
above display (height variable from 195 cm upward)
or below display (height about 102 cm)

mobile with base plate


Type / Design	Two doors – with textile cover for external speakers in black. Housing and door made of MDF, finished with structure lacquer. Passive housing ventilation for individual technology integration. Prepared for the integration of a video conference system. Display mount not included.
Dimensions (W x D x H)	
Furniture, outside (base plate)	1300 (1800) x 280 (700) x 1900 (150) mm
Technology housing (*fittings not included)	2 x 560 x 240* x 820 mm
Speaker housing	1120 x 240 x 165 mm
Requirements for display integration	
- max. display width	1600 mm
- max. display weight	60 kg
- recom. display depth (incl. mount)	80 - 100 mm
- space for display mount (W x H)	2200 x 660 mm
- recess for display and mount	80 mm
- height of the display's lower edge	1200 mm
Color / Item number**	
arctic white	**10024**
lava black	**10025**
Base price for 1 unit	**7.660 Euro**
excluding transportation	
(order of 3 or more = scaled conditions!)	on request
Shipping	**on request**

Options	Surface / Color	Item number	Sales price
VC camera housing below display*/* **	structure lacquer arctic white	10672 * 10678 *** 11443	470 Euro
with centrally divided speaker cover, dimensions 340 x 240 x 180 mm (W x D x H)	structure lacquer lava black	10673 * 10720 *** 11444	470 Euro
* = narrow version (180 x 240 x 180 mm), for example for Rally Plus			
*** = wide version (540 x 240 x 180 mm), for dual cameras			
VC camera mount	metal, powder coated, black	10033	230 Euro
for position in front of speaker cover, space 240 x 165 mm (W x D)			
Customized bezel for VC systems up to a width of 1120 mm	structure lacquer arctic white	10709	470 Euro
for example for Cisco Webex Room Kit (Plus) / Crestron Flex / Polycom Studio / etc. incl. mounting device	structure lacquer lava black	10710	470 Euro
This bezel replaces the speaker covers of the main product.			
Door lock (per door/piece)	nickel-plated, matt	10035	180 Euro
Shelf for technology housing	structure lacquer arctic white	10031	58 Euro
	structure lacquer lava black	10674	58 Euro
Cable roll holder	structure lacquer arctic white	10036	168 Euro
on the back side	structure lacquer lava black	10665	168 Euro

** Structure lacquer colors can be customized on request against surcharge.
Prices = net sales prices, excluding VAT (in Euro)

Media column_W8 L[2]

for 70" to 80" displays
with each up to 80 kg weight



VC camera position:
above display (height variable from 210 cm upward)
or below display (height about 102 cm)

wall mounted


Type / Design	Three doors – with textile cover for external speakers in black. Housing and door made of MDF, finished with structure lacquer. Passive housing ventilation for individual technology integration. Prepared for the integration of a video conference system. Display mount not included.
Dimensions (W x D x H)	
Furniture, outside (base plate)	1680 x 310 x 1960 mm
Technology housing (*fittings not included)	2 x 460 x 270* x 950 mm 1 x 520 x 270* x 950 mm
Speaker housing	2 x 430 x 270 x 165 mm
Requirements for display integration	
- max. display width	1900 mm
- max. display weight	80 kg
- recom. display depth (incl. mount)	110 - 130 mm
- space for display mount (W x H)	2850 x 725 mm
- recess for display and mount	110 mm
- height of the display's lower edge	1200 mm
Color / Item number**	
arctic white	**10026**
lava black	**10027**
Base price for 1 unit	**7.290 Euro**
excluding transportation	
(order of 3 or more = scaled conditions!)	on request
Shipping	**on request**

Options	Surface / Color	Item number	Sales price
VC camera housing below display*** with centrally divided speaker cover, dimensions 340 x 270 x 180 mm (W x D x H) *** = wide version (540 x 270 x 180 mm), for dual cameras	structure lacquer arctic white structure lacquer lava black	10675 ***11445 10676 ***11446	470 Euro 470 Euro
VC camera mount for position in front of speaker cover, space 240 x 165 mm (W x D)	metal, powder coated, black	10033	230 Euro
Customized bezel for VC systems for example for Cisco Webex Room Kit (Plus) / Crestron Flex / Polycom Studio / etc. incl. mounting device This bezel replaces the speaker covers of the main product.	structure lacquer arctic white structure lacquer lava black	10711 10712	470 Euro 470 Euro
Door lock (per door/piece)	nickel-plated, matt	10035	180 Euro
Shelf for technology housing	structure lacquer arctic white structure lacquer lava black	each L/R:10032, M:10682 each L/R:10677, M:10684	58 Euro 58 Euro

** Structure lacquer colors can be customized on request against surcharge.
Prices = net sales prices, excluding VAT (in Euro)

Media column_W8 L[2]

for 70" to 80" displays
with each up to 80 kg weight



mobile with base plate

VC camera position:
above display (height variable from 210 cm upward)
or below display (height about 102 cm)


Type / Design	Three doors – with textile cover for external speakers in black. Housing and door made of MDF, finished with structure lacquer. Passive housing ventilation for individual technology integration. Prepared for the integration of a video conference system. Display mount not included.
Dimensions (W x D x H)	
Furniture, outside (base plate)	1680 (2150) x 310 (700) x 1960 (150) mm
Technology housing (*fittings not included)	2 x 460 x 270* x 820 mm 1 x 520 x 270* x 820 mm
Speaker housing	2 x 430 x 270 x 165 mm
Requirements for display integration	
- max. display width	1900 mm
- max. display weight	80 kg
- recom. display depth (incl. mount)	110 - 130 mm
- space for display mount (W x H)	2850 x 725 mm
- recess for display and mount	110 mm
- height of the display's lower edge	1200 mm
Color / Item number**	
arctic white	**10651**
lava black	**10652**
Base price for 1 unit	**10.150 Euro**
excluding transportation	
(order of 3 or more = scaled conditions!)	on request
Shipping	**on request**

Options	Surface / Color	Item number	Sales price
VC camera housing below display*** with centrally divided speaker cover, dimensions 340 x 270 x 180 mm (W x D x H) *** = wide version (540 x 270 x 180 mm), for dual cameras	structure lacquer arctic white structure lacquer lava black	10675 ***11445 10676 ***11446	470 Euro 470 Euro
VC camera mount for position in front of speaker cover, space 240 x 165 mm (W x D)	metal, powder coated, black	10033	230 Euro
Customized bezel for VC systems for example for Cisco Webex Room Kit (Plus) / Crestron Flex / Polycom Studio / etc. incl. mounting device This bezel replaces the speaker covers of the main product.	structure lacquer arctic white structure lacquer lava black	10711 10712	470 Euro 470 Euro
Door lock (per door/piece)	nickel-plated, matt	10035	180 Euro
Shelf for technology housing	structure lacquer arctic white structure lacquer lava black	each L/R:10032, M:10682 each L/R:10677, M:10684	58 Euro 58 Euro
Cable roll holder on the back side	structure lacquer arctic white structure lacquer lava black	10036 10665	168 Euro 168 Euro

** Structure lacquer colors can be customized on request against surcharge.
Prices = net sales prices, excluding VAT (in Euro)

Media column_W8 XL²

for 84" to 98" displays (16:9)
with each up to 100 kg weight



VC camera position:
below display (height about 102 cm)

wall mounted


Type / Design	Three doors – with textile cover for external speakers in black. Housing and door made of MDF, finished with structure lacquer. Passive housing ventilation for individual technology integration. Prepared for the integration of a video conference system. Display mount not included.
Dimensions (W x D x H)	
Furniture, outside (base plate)	1950 x 310 x 2070 mm
Technology housing (*fittings not included)	2 x 550 x 270* x 950 mm 1 x 610 x 270* x 950 mm
Speaker housing	2 x 520 x 270 x 165 mm
Requirements for display integration	
- max. display width	2280 mm
- max. display weight	100 kg
- recom. display depth (incl. mount)	130 - 150 mm
- space for display mount (W x H)	3400 x 835 mm
- recess for display and mount	130 mm
- height of the display's lower edge	1200 mm
Color / Item number**	
arctic white	**10653**
lava black	**10654**
Base price for 1 unit	**8.560 Euro**
excluding transportation	
(order of 3 or more = scaled conditions!)	on request
Shipping	**on request**

Options	Surface / Color	Item number		Sales price
VC camera housing below display*** with centrally divided speaker cover, dimensions 340 x 270 x 180 mm (W x D x H) *** = wide version (540 x 270 x 180 mm), for dual cameras	structure lacquer arctic white structure lacquer lava black	10679 10680	***11447 ***11448	470 Euro 470 Euro
Customized bezel for VC systems for example for Cisco Webex Room Kit (Plus) / Crestron Flex / Polycom Studio / etc. incl. mounting device This bezel replaces the speaker covers of the main product.	structure lacquer arctic white structure lacquer lava black	10713 10714		470 Euro 470 Euro
Door lock (per door/piece)	nickel-plated, matt	10035		180 Euro
Shelf for technology housing	structure lacquer arctic white structure lacquer lava black	each L/R:10681, M:10686 each L/R:10687, M:10688		58 Euro 58 Euro

** Structure lacquer colors can be customized on request against surcharge.
Prices = net sales prices, excluding VAT (in Euro)

Media column_W8 XL²

for 84" to 98" displays (16:9)
with each up to 100 kg weight



VC camera position:
below display (height about 102 cm)

mobile with base plate

Type / Design	Three doors – with textile cover for external speakers in black. Housing and door made of MDF, finished with structure lacquer. Passive housing ventilation for individual technology integration. Prepared for the integration of a video conference system. Display mount not included. Passive housing ventilation
Dimensions (W x D x H)	
Furniture, outside (base plate)	1950 (2450) x 310 (750) x 2070 (150) mm
Technology housing (*fittings not included)	2 x 550 x 270* x 820 mm 1 x 610 x 270* x 820 mm
Speaker housing	2 x 520 x 270 x 165 mm
Requirements for display integration	
- max. display width	2280 mm
- max. display weight	100 kg
- recom. display depth (incl. mount)	130 - 150 mm
- space for display mount (W x H)	3400 x 835 mm
- recess for display and mount	130 mm
- height of the display's lower edge	1200 mm
Color / Item number**	
arctic white	**10655**
lava black	**10656**
Base price for 1 unit	**11.650 Euro**
excluding transportation	
(order of 3 or more = scaled conditions!)	on request
Shipping	**on request**

Options	Surface / Color	Item number		Sales price
VC camera housing below display*** with centrally divided speaker cover, dimensions 340 x 270 x 180 mm (W x D x H) *** = wide version (540 x 270 x 180 mm), for dual cameras	structure lacquer arctic white structure lacquer lava black	10679 10680	***11447 ***11448	470 Euro 470 Euro
Customized bezel for VC systems for example for Cisco Webex Room Kit (Plus) / Crestron Flex / Polycom Studio / etc. incl. mounting device This bezel replaces the speaker covers of the main product.	structure lacquer arctic white structure lacquer lava black	10713 10714		470 Euro 470 Euro
Door lock (per door/piece)	nickel-plated, matt	10035		180 Euro
Shelf for technology housing	structure lacquer arctic white structure lacquer lava black	each L/R:10681, M:10686 each L/R:10687, M:10688		58 Euro 58 Euro
Cable roll holder on the back side	structure lacquer arctic white structure lacquer lava black	10036 10665		168 Euro 168 Euro

** Structure lacquer colors can be customized on request against surcharge.
Prices = net sales prices, excluding VAT (in Euro)